

CATALOG 2019




SV42 & SV32 ROUND CABLE


Application	Manufacturer	Part No.	Description	Fig. No.
Gunite - Cantilever Deck	Stegmeier	77SV112	Deck Form - Capstone Profile	1
Gunite - Cantilever Deck	Stegmeier	17SV112	Deck Form - Regular profile	2
Gunite - Brick Coping	Stegmeier	3FOR6	Fiber Optic II Receiver - Held in by bed mud	4
Gunite - Renovation	Stegmeier	7REN6S	Requires saw cut	7
Gunite - Renovation	Super Vision	SVTRK-42	Clear U-Channel - Screws & Anchors	8
Gunite - Cantilever Deck	Mortex	FGRNFR	Deck Form - Glow-Rite Standard Form, Round	3
Gunite - Renovation or New	Mortex	FXTAC	Tac-It Clip uses existing Cove Strip	6
Gunite - Brick Coping	Modern Pool	FOR	Aluminum Track - Top Mount	5
Vinyl Liner - Cantilever Deck	Stegmeier	8CF152	Deck Form - Capstone Profile	9
Vinyl Liner - Cantilever Deck	Stegmeier	18CF152	Deck Form - Regular profile	10
Vinyl Liner - Cantilever Deck	Mortex	FGRKLR	Deck Form - Glow-Rite, Key-Lock Liner form	11
Vinyl Liner - Cantilever Deck	Mortex	FKLARFOF	Deck Form - French Curve, Aluminum Key-Lock	12
Vinyl Liner - Cantilever Deck	Mortex	FKLARFOK	Deck Form - Keystone Form, Aluminum Key-Lock	13
Vinyl Liner - Cantilever Deck	Mortex	FKLARFOP	Deck Form - Poly Form, Aluminum Key-Lock	14
Vinyl Liner - After Market	Super Vision	SVV42	Snaps over liner bead	15
Vinyl Liner - Track	Cinderella	VM-7	Aluminum Liner Track - Side Mount	16
Vinyl Liner - Track	Cinderella	HM-7	Aluminum Liner Track - Top Mount	17
Vinyl Liner - Coping	Cinderella	CP-7	Fiber Optic Ready	18
Vinyl Liner - Coping	Ft. Wayne	Accent Coping	Fiber Optic Ready	19
Vinyl Liner - Coping	Ft. Wayne	Edgelight Coping	Fiber Optic Ready	20
Vinyl Liner - Track	Ft. Wayne	Accent Flat Track	Cantilever Forms & Decks on Vinyl Pools	21
Vinyl Liner - Track	Modern Pool	FORT-LT	Liner Receiver Track - Top Mount	21
Fiberglass - Renovation or New	Super Vision	SVTRK-42	Clear U-Channel - Screws & Anchors	8


SV23 SEMI-FLAT CABLE


Application	Manufacturer	Part No.	Description	Fig. No.
Gunite - Cantilever Deck	Stegmeier	7FS112	Deck Form - Capstone Profile	1
Gunite - Cantilever Deck	Stegmeier	17FS112	Deck Form - Regular profile	2
Gunite - Brick Coping	Stegmeier	3FOR2	Fiber Optic II Receiver - Held in by bed mud	4
Gunite - Renovation	Stegmeier	7REN4F	Requires saw cut	7
Gunite - Cantilever Deck	Mortex	FGRNF	Deck Form - Glow-Rite, Standard Form, Flat	3
Gunite - Renovation	Mortex	FXTAC	Tac-It Clip uses existing Cove Strip	6
Vinyl Liner - Cantilever Deck	Stegmeier	8CF112	Deck Form - Capstone Profile	9
Vinyl Liner - Cantilever Deck	Stegmeier	18CF112	Deck Form - Regular profile	10
Vinyl Liner - Cantilever Deck	Mortex	FGRKLF	Deck Form - Glow-Rite, Key-Lock Liner form	11
Vinyl Liner - Cantilever Deck	Mortex	FKLAFFOF	Deck Form - French Curve, Aluminum Key-Lock	12
Vinyl Liner - Cantilever Deck	Mortex	FKLAFFOK	Deck Form - Keystone Form, Aluminum Key-Lock	13
Vinyl Liner - Cantilever Deck	Mortex	FKLAFFOP	Deck Form - Poly Form, Aluminum Key-Lock	14
Vinyl Liner - After Market	Super Vision	SVV23	Snaps over liner bead	15
Vinyl Liner - After Market	Kafko	05-0025-4	10' section, PVC Coping Fiber Optic Ready	23
Vinyl Liner - After Market	Kafko	05-7700-7	8' section, Aluminum Coping Fiber Optic Ready	24









































































ITEM	Model Number	Description
	SVTRK	For SV126, SV84 Clear plastic track for renovations or new construction. Fiberglass or Gunite. Mounts with tape, screws, and silicone. 6' sections Width: .65" (16.61mm) Height: .1.34" (34mm) Length: 6" (1828.8mm)
	SVTRK-42	For SV42 Cable Clear plastic track for renovations or new construction. Fiberglass or Gunite. Mounts with tape, screws, and silicone. 6' sections Width: .44" (11.15mm) Height: .403" (10.25mm) Length: 6" (1828.8mm)

ENDGLOW



4 STRAND ENDGLOW FIBER OPTIC CABLE

Model Number	Description	Feet	Ctn. Weight
SV4EG	4 Strand Cable	per foot	n/a



4	.125	3.2
STRAND	DIAMETER	MM

12 STRAND ENDGLOW FIBER OPTIC CABLE

Model Number	Description	Feet	Ctn. Weight
SV12EG	12 Strand Cable	per foot	n/a



25 STRAND ENDGLOW FIBER OPTIC CABLE

Model Number	Description	Feet	Ctn. Weight
SV25EG	25 Strand Cable	per foot	n/a



50 STRAND ENDGLOW FIBER OPTIC CABLE

Model Number	Description	Feet	Ctn. Weight
SV50EG	50 Strand Cable	per foot	n/a





75 STRAND ENDGLOW FIBER OPTIC CABLE

Model Number	Description	Feet	Ctn. Weight
SV75EG	75 Strand Cable	per foot	n/a



75	.375	9.5
STRAND	DIAMETER	MM

100 STRAND ENDGLOW FIBER OPTIC CABLE


Model Number	Description	Feet	Ctn. Weight
SV100EG	100 Strand Cable	per foot	n/a





150 STRAND ENDGLOW FIBER OPTIC CABLE

Model Number	Description	Feet	Ctn. Weight
SV150FG	150 Strand Cable	per foot	n/a




150	.590	15.1
STRAND	DIAMETER	MM



23 STRAND SIDEGLOW PERIMETER CABLE

5/8" x 5/16", 1" minimum bend radius, 200' maximum run

Model Number	Description	Feet	Ctn. Weight
SVSG23	23 Strand Cable	per foot	n/a
SVSG23-125	23 Strand Cable	125'	11 lbs.
SVSG23-150	23 Strand Cable	150'	13 lbs.
SVSG23-200	23 Strand Cable	200'	19 lbs.
SVSG23-500	23 Strand Cable	500'	48 lbs.
SVSG23-1000	23 Strand Cable	1000'	84 lbs.



23	.125	3.2
STRAND	DIAMETER	MM

SV23SG

32 STRAND SIDEGLOW PERIMETER CABLE

5/16" diameter, 1" minimum bend radius, 200' maximum run

Model Number	Description	Feet	Ctn. Weight
SVSG32	32 Strand Cable	per foot	n/a
SVSG32-125	32 Strand Cable	125'	8 lbs.
SVSG32-150	32 Strand Cable	150'	9 lbs.
SVSG32-200	32 Strand Cable	200'	12 lbs.
SVSG32-500	32 Strand Cable	500'	35 lbs.
SVSG32-1000	32 Strand Cable	1000'	58 lbs.



32 .312 7.9

STRAND DIAMETER MM

SV32SG

42 STRAND SIDEGLOW PERIMETER CABLE

3/8" diameter, 1/2" minimum bend radius, 200' maximum run

Model Number	Description	Feet	Ctn. Weight
SV42	42 Strand Cable	per foot	n/a
SVSG42-125	42 Strand Cable	125'	6 lbs.
SVSG42-150	42 Strand Cable	150'	7 lbs.
SVSG42-200	42 Strand Cable	200'	9 lbs.
SVSG42-500	42 Strand Cable	500'	31 lbs.
SVSG42-1000	42 Strand Cable	1000'	50 lbs.



42 .375 9.5


STRAND DIAMETER MM

SV42SG

84 STRAND SIDEGLOW PERIMETER CABLE

.5" diameter, 1/2" minimum bend radius, 200' maximum run

Model Number	Description	Feet	Ctn. Weight
SV84	84 Strand Cable	per foot	n/a
SV84-125	84 Strand Cable	125'	12 lbs.
SV84-150	84 Strand Cable	150'	14 lbs.
SV84-200	84 Strand Cable	200'	18 lbs.
SV84-500	84 Strand Cable	500'	62 lbs.
SV84-1000	84 Strand Cable	1000'	100 lbs.






SV84SG

SV126SG

126 STRAND SIDEGLOW PERIMETER CABLE

.625" diameter, 1/2" minimum bend radius, 200' maximum run

Model Number	Description	Feet	Ctn. Weight
SV126	126 Strand Cable	per foot	n/a
SVSG126-125	126 Strand Cable	125'	18 lbs.
SVSG126-150	126 Strand Cable	150'	21 lbs.
SVSG126-200	126 Strand Cable	200'	27 lbs.
SVSG126-500	126 Strand Cable	500'	93 lbs.
SVSG126-1000	126 Strand Cable	1000'	150 lbs.







ITEM

DESCRIPTION





SUPV-10-RGBW-SB - 10W 12VAC RGB+W LED w/ Smart Board Built-in 9 program controller / Use PX100/300 transformer (not incl.)

SUPV-10-RGBW-5 - 10W RGB+W LED w/ 5 Wire for DMX or RS232 Controll. Includes 12VDC Power Supply

SUPV-10-CW - 10W Cool White LED Includes 12VDC Power Supply











SUPV-80-RGBW-SB 80W 24VDC Outdoor rated LED illuminator w/Smart Board, Built in 9 program controller. Includes 24VDC power supply

SUPV-80-RGBW-5 - 80W RGB+W LED w/ 5 Wire for DMX or RS232 Controll. Includes 24VDC Power Supply

SUPV-80-CW - 80W Cool White LED Includes 24VDC Power Supply



Includes 100W Power Supply 100-240VAC /24VDC 8.5" x 2.75" x 1.5"







CONTROLLERS

ITEM

DESCRIPTION

PA3 DELUXE CONTROLLER



DMX Wall Controller w/ phone app 1024 Channel USB / Ethernet. 25 Pages of 8 Scenes

4 CHANNEL DMX DECODER



4 Channel Decoder for RGB+W Light Source

PA2 WiFi DMX



DMX Wall Controller WiFi and downloadable phone app - 8 Zones

PA1 BELL BOX DMX



4 Zone DMX Controller - Fits into Bell Box